

CLAIMS

1. A protective liner for a storage area of predetermined shape and size comprising:
 - a flexible and substantially impermeable floor having a perimeter;
 - a flexible and substantially impermeable sleeve surrounding and affixed to said perimeter of said floor;
 - a flexible and substantially impermeable wall affixed to said sleeve; and
 - a flexible and coilable resilient frame captured within said sleeve.
2. The invention of claim 1, having a perimeter shape and size, wherein said perimeter shape and size are substantially the same as said shape and said size of said storage area.
3. A protective liner for the cargo compartment of a motor vehicle, said cargo compartment having a predetermined shape and size comprising:
 - a flexible and substantially impermeable floor having a perimeter;
 - a flexible and substantially impermeable sleeve surrounding and affixed to said perimeter of said floor;
 - a flexible and substantially impermeable wall affixed to said sleeve; and
 - a flexible and coilable resilient frame captured within said sleeve.
4. The invention of claim 3, having a perimeter shape and size, wherein said perimeter shape and size are substantially the same as said shape and said size of said cargo compartment.

5. A protective liner for the floor of the passenger compartment of a motor vehicle having a predetermined shape and size, comprising:

- a flexible and substantially impermeable floor having a perimeter;
- a flexible and substantially impermeable sleeve surrounding and affixed to the perimeter of said floor;
- a flexible and substantially impermeable wall affixed to said sleeve;
- a flexible and coilable resilient frame captured within said sleeve.

6. The invention of claim 5 having a perimeter shape and size, wherein said perimeter shape and size are substantially the same as said shape and said size of said passenger compartment floor.

7. A protective liner for a storage area of predetermined shape and size comprising:

- a flexible and substantially impermeable floor having a perimeter;
- a flexible and substantially impermeable sleeve surrounding and affixed to said perimeter of said floor;

- a flexible and substantially impermeable wall affixed to said sleeve;
 - a flexible and coilable resilient frame captured within said sleeve; and
- said liner further comprising a fastener means, whereby said liner is removably secured to said storage area.

8. The invention of claim 3, wherein said protective liner further comprises a fastener

means, whereby said protective liner is removably secured to said cargo compartment.

9. The invention of claim 5, wherein said protective liner further comprises a fastener means, whereby said liner is removably secured to said floor of said passenger compartment.